





# VERSITRIM EDGEBOX RI

## WOOD NAILER ALTERNATIVE

### NOTES

- Pre-drill with 3/16" in. drill for masonry conditions
- Product should be installed per provided installation instructions
- Finish and closure strips are only used with metal deck applications
- 3" height maximum for use with a coping product on a parapet wall
- ANSI/SPRI/FM 4435/ES-1 Test Pressure up to 911 psf (Vertical) 526 psf (Horizontal)



### DIMENSIONS

\_\_\_\_ Box Width (In Inches)  
 \_\_\_\_ Box Height (In Inches)

### MATERIALS

20 ga. Galv. Steel

### SUBSTRATE

If substrate is not given, wood fasteners will be provided.

- Metal (\_\_\_\_ Metal Deck Height in Inches)
- Existing Wood Nailer
- Masonry

### QUANTITIES

\_\_\_\_ Lineal Feet (12'-0" Lengths)  
 \_\_\_\_ Right Endcaps  
 \_\_\_\_ Left Endcaps  
 \_\_\_\_ Finish Strip (Style 1) Lineal Feet  
 \_\_\_\_ Finish Strip (Style 2) Lineal Feet  
 \_\_\_\_ Closure Strip Lineal Feet

### APPROVALS



**ANSI/SPRI/FM 4435/ES-1**  
 Test Pressures listed in notes



### PROJECT INFO

Project Name: \_\_\_\_\_  
 Architect: \_\_\_\_\_  
 Roofing Contractor: \_\_\_\_\_

#### Project Type:

By selecting this box you have verified and confirmed that dimensions, sizes, and quantities are correct. All products will be installed in strict accordance with printed instructions.

Date: \_\_\_\_\_

Customer Service  
 800-558-2162  
 (Metal-Era)

SHT #: \_\_\_\_ of \_\_\_\_  
 DATE: **09/19/24**  
 DRN BY: **PL**  
 CKD BY: **MM**  
 DWG #: 18018-37009  
 REV: **C**