





# SECUREDGE EDGEBOX RI

## WOOD NAILER ALTERNATIVE

### NOTES

- Pre-drill with 3/16" in. drill for masonry conditions
- Product should be installed per provided installation instructions
- Finish and closure strips are only used with metal deck applications
- 3" height maximum for use with a coping product on a parapet wall
- ANSI/SPRI/FM 4435/ES-1 Test Pressure up to 911 psf (Vertical) 526 psf (Horizontal)



### DIMENSIONS

\_\_\_\_\_ Box Width (In Inches)

\_\_\_\_\_ Box Height (In Inches)

### MATERIALS

20 ga. Galv. Steel

### SUBSTRATE

If substrate is not given, wood fasteners will be provided.

- Metal (\_\_\_\_\_ Metal Deck Height in Inches)
- Existing Wood Nailer
- Masonry

### QUANTITIES

\_\_\_\_\_ Lineal Feet (12'-0" Lengths)

\_\_\_\_\_ Right Endcaps

\_\_\_\_\_ Left Endcaps

\_\_\_\_\_ Finish Strip (Style 1) Lineal Feet

\_\_\_\_\_ Finish Strip (Style 2) Lineal Feet

\_\_\_\_\_ Closure Strip Lineal Feet

### APPROVALS



**ANSI/SPRI/FM 4435/ES-1**  
Test Pressures listed in notes



### PROJECT INFO

Project Name: \_\_\_\_\_

Architect: \_\_\_\_\_

Roofing Contractor: \_\_\_\_\_

#### Project Type:

By selecting this box you have verified and confirmed that dimensions, sizes, and quantities are correct. All products will be installed in strict accordance with printed instructions.

Date: \_\_\_\_\_

Customer Service  
866-458-3537  
(Metal-Era)

SHT #: \_\_\_\_\_ of \_\_\_\_\_

DATE: **09/17/24**

DRN BY: **PL**

CKD BY: **MM**

DWG #: 15018-37008

REV: **C**